

nelux architectural lighting track systems catalog 2021-2022



Innovation+Durability =Reliability
www.valentia.com
sales@nelux.com.hk

Track systems by NELUX



Nelux Architectural lighting is a dedicated lighting track systems custom manufacturer and distributor.

With a competent team with more than 30 years experience in engineering , manufacturing and distribution, we are able to provide high-end products with fine workmanship for durable and reliable lighting applications.


Motivating by continuous improvement and endless pursuit of perfection, we value every possibility to provide quality products through cost effective options, which is enable us to offer high quality products with reasonable prices and satisfactory services to our customers.

Contents


M20 Low Voltage Magnet Track System	P04~P11
M20 Low Voltage Magnet Track Lamp Kits	P12~P13
4 Wires Single Phase DALI Track System	P14~P17
4 Wires 3 Circuits Track System (Regular)	P18~P22
4 Wires 3 Circuits Recessed Track System (Regular)	P23~P24
4 Wires 3 Circuits Track System (Deluxe)	P25~P29
4 Wires 3 Circuits Recessed Track System (Deluxe)	P30~P31
3 Wires Single Phase Track System	P32~P35

M20 Magnet Track System


4 Wires Low Voltage Magnet Track System Application



Connecting Diagram




1 Phases 1~48V 16A Max+ DALI



2 Phases 1~48V 2x16A Max+ DALI

M20 Magnet Track System /


M20 Magnet Track (Surface Mounted)



Model No.	Track Length	Colour	Package
M20A-10-W	100CM	White	15 PCS/1
M20A-10-B	100CM	Black	15 PCS/1
M20A-15-W	150CM	White	12 PCS/1
M20A-15-B	150CM	Black	12 PCS/1
M20A-20-W	200CM	White	12 PCS/1
M20A-20-B	200CM	Black	12 PCS/1
M20A-30-W	300CM	White	8 PCS/1
M20A-30-B	300CM	Black	8 PCS/1


M20 Magnet Track Connector (Surface Mounted)

"L" Connector (Horizontal Direction)



Model No.	Colour
M211-20A-W	White
M211-20A-B	Black


"L" Connector (Vertical Direction)




Model No.	Colour
M212-20A-W	White
M212-20A-B	Black

Installation

Fix





Magnet Track hole dimensions



M20 Magnet Track System



M20 Magnet Track System

M20 Magnet Track (Trimless Recessed)



Model No.	Track Length	Colour	Package
M20B-10-W	100CM	White	12 PCS/1
M20B-10-B	100CM	Black	12 PCS/1
M20B-15-W	150CM	White	12 PCS/1
M20B-15-B	150CM	Black	12 PCS/1
M20B-20-W	200CM	White	12 PCS/1
M20B-20-B	200CM	Black	12 PCS/1
M20B-30-W	300CM	White	8 PCS/1
M20B-30-B	300CM	Black	8 PCS/1

M20 Magnet Track (Trimless Embedded)




Model No.	Track Length	Colour	Package
M20C-10-W	100CM	White	12 PCS/1
M20C-10-B	100CM	Black	12 PCS/1
M20C-15-W	150CM	White	12 PCS/1
M20C-15-B	150CM	Black	12 PCS/1
M20C-20-W	200CM	White	12 PCS/1
M20C-20-B	200CM	Black	12 PCS/1
M20C-30-W	300CM	White	8 PCS/1
M20C-30-B	300CM	Black	8 PCS/1

M20 Magnet Track Connector (Trimless Recessed)



M20 Magnet Track Connector (Trimless Embedded)

"L" Connector (Horizontal Direction)




Model No.	Colour
M211-20B-W	White
M211-20B-B	Black

"L" Connector (Horizontal Direction)




Model No.	Colour
M211-20C-W	White
M211-20C-B	Black

"L" Connector (Vertical Direction)



Model No.	Colour
M212-20B-W	White
M212-20B-B	Black

"L" Connector (Vertical Direction)




Model No.	Colour
M212-20C-W	White
M212-20C-B	Black


Installation

Installation / 安装说明


Fix




Magnet Track hole dimensions



Fix





Magnet Track hole dimensions



M20 Magnet Track System


M20 Magnet Track (Recessed with Frame)



Model No.	Track Length	Colour	Package
M20D-10-W	100CM	White	12 PCS/1
M20D-10-B	100CM	Black	12 PCS/1
M20D-15-W	150CM	White	12 PCS/1
M20D-15-B	150CM	Black	12 PCS/1
M20D-20-W	200CM	White	12 PCS/1
M20D-20-B	200CM	Black	12 PCS/1
M20D-30-W	300CM	White	8 PCS/1
M20D-30-B	300CM	Black	8 PCS/1


M20 Magnet Track Connector (Recessed with Frame)

“L” Connector (Horizontal Direction)



Model No.	Colour
M211-20D-W	White
M211-20D-B	Black



“L” Connector (Vertical Direction)



Model No.	Colour
M212-20D-W	White
M212-20D-B	Black


Installation

Fix



M20 Magnet Track System


4 Wires Magnet Track Adaptor (Small)



Model No.	Colour
M101-W	White
M101-B	Black

Excl Driver, For Spot Light


4 Wires Magnet Track Adaptor (Small)



Model No.	Colour
M102-W	White
M102-B	Black

Excl Driver, For Track Linear and Grille Fixture


4 Wires Magnet Track Adaptor (Long)



Model No.	Colour
M201-W	White
M201-B	Black

Excl Driver, For Spot Light

4 Wires Magnet Track Adaptor (Long)




Model No.	Colour
M203-W	White
M203-B	Black

Excl Driver, For Track Linear and Grille Fixture

M20 Magnet Track System


Magnet Track Power Connector



Model No.
M311-W
M311-B

Colour
White/白色
Black/黑色


Magnet Track Power Connector (With wire)



Model No.
M312-W
M312-B

Colour
White/白色
Black/黑色


Magnet Track Power Connector (Dubble)



Model No.
M313-W
M313-B

Colour
White/白色
Black/黑色


Magnet Track Joiner Connector



Model No.
M316-W
M316-B

Colour
White/白色
Black/黑色

M20 Track End Cap





Model No.
M317-W
M317-B

Colour
White/白色
Black/黑色

M20 Magnet Track System

Magnet Track Suspension Kits




Model No.
M391-W
M391-B

Colour
White
Black

With $\phi 1.5\text{mm}$ L=1.5M Steel wire



Magnet Track Connector Bracket



Model No.
M392-W
M392-B

Colour
White
Black


Magnet Track Dust Cover



Model No.
M393-W
M393-B

Colour
White
Black

Track Suspension Diagram



M20 Magnet Track Linear Lamp Kit

M20 Magnet Track Grille Lamp Kit

M20 Magnet Track Linear Lamp Kit (excl LED and Driver) with Small Adapter

M20 Magnet Track Grille Lamp Kit (Excl LED and Driver) with Small Adapter

Model No.	Diffuser Length	Colour
MS20-300-W	L=300mm	White
MS20-300-B	L=300mm	Black

Model No.	Diffuser Length	Colour
MS20-600-W	L=600mm	White
MS20-600-B	L=600mm	Black

Model No.	Diffuser Length	Colour
MS20-900-W	L=900mm	White
MS20-900-B	L=900mm	Black

Model No.	Beam Angle	Colour
MS20-06G-24-W	24	White
MS20-06G-50-W	50	White
MS20-06G-24-B	24	Black
MS20-06G-50-B	50	Black

Model No.	Beam Angle	Colour
MS20-12G-24-W	24	White/白色
MS20-12G-50-W	50	White/白色
MS20-12G-24-B	24	Black/黑色
MS20-12G-50-B	50	Black/黑色

Model No.	Beam Angle	Colour
MS20-18G-24-W	24	White/白色
MS20-18G-50-W	50	White/白色
MS20-18G-24-B	24	Black/黑色
MS20-18G-50-B	50	Black/黑色

M20 Magnet Track Linear Lamp Kit (excl LED and Driver) with Long Adapter

M20 Magnet Track Grille Lamp Kit (Excl LED and Driver) with Long Adapter

Model No.	Diffuser Length	Colour
ML20-300-W	L=300mm	White
ML20-300-B	L=300mm	Black

Model No.	Diffuser Length	Colour
ML20-600-W	L=600mm	White
ML20-600-B	L=600mm	Black

Model No.	Diffuser Length	Colour
ML20-900-W	L=900mm	White
ML20-900-B	L=900mm	Black

Model No.	Beam Angle	Colour
ML20-06G-24-W	24	White
ML20-06G-50-W	50	White
ML20-06G-24-B	24	Black
ML20-06G-50-B	50	Black


Model No.	Beam Angle	Colour
ML20-12G-24-W	24	White/白色
ML20-12G-50-W	50	White/白色
ML20-12G-24-B	24	Black/黑色
ML20-12G-50-B	50	Black/黑色

Model No.	Beam Angle	Colour
ML20-18G-24-W	24	White/白色
ML20-18G-50-W	50	White/白色
ML20-18G-24-B	24	Black/黑色
ML20-18G-50-B	50	Black/黑色


4 Wires Single Phase DALI Track System

4 Wires Single Phase DALI Track System


DALI Track System Application




Connection Installation



4 Wires Single Circuit DALI Track




Coextrusion Technology of Flat Copper Wire
扁铜线共挤技术
导电弹片与轨道铜线有更多、更安全的接触面



Model No.	Track Length 轨道长度	Colour	Package
D410-W	1000mm	White (RAL9003)	1 / 12
D410-B	1000mm	Black (RAL9004)	1 / 12
D410-G	1000mm	Grey (RAL7040)	1 / 12
D420-W	2000mm	White (RAL9003)	1 / 12
D420-B	2000mm	Black (RAL9004)	1 / 12
D420-G	2000mm	Grey (RAL7040)	1 / 12
D430-W	3000mm	White (RAL9003)	1 / 8
D430-B	3000mm	Black (RAL9004)	1 / 8
D430-G	3000mm	Grey (RAL7040)	1 / 8
D440-W	4000mm	White (RAL9003)	1 / 6
D440-B	4000mm	Black (RAL9004)	1 / 6
D440-G	4000mm	Grey (RAL7040)	1 / 6


Fixing Point Dimensions



Mechanical Load Diagram




Connecting Diagram




4 Wires Single Phase DALI Track System

Track Power Connector (L)




Model No.	Colour	Package
D461L-W	White (RAL9003)	1/150
D461L-B	Black (RAL9004)	1/150
D461L-G	Grey (RAL7040)	1/150

Track Power Connector (R)




Model No.	Colour	Package
D461R-W	White (RAL9003)	1/150
D461R-B	Black (RAL9004)	1/150
D461R-G	Grey (RAL7040)	1/150

End Cap




Model No.	Colour	Package
D462-W	White (RAL9003)	1/500
D462-B	Black (RAL9004)	1/500
D462-G	Grey (RAL7040)	1/500

Mini Joiner Connector




Model No.	Colour	Package
D463-W	White (RAL9003)	1/400
D463-B	Black (RAL9004)	1/400
D463-G	Grey (RAL7040)	1/400

Straight Connector



Model No.	Colour	Package
D464-W	White (RAL9003)	1/160
D464-B	Black (RAL9004)	1/160
D464-G	Grey (RAL7040)	1/160


“+” Cross Connector / 十字接驳器



Model No.	Colour	Package
D467-W	White (RAL9003)	1/60
D467-B	Black (RAL9004)	1/60
D467-G	Grey (RAL7040)	1/60


4 Wires Single Phase DALI Track System

“L” Connector (L)




Model No.	Colour	Package
D465L-W	White (RAL9003)	1/150
D465L-B	Black (RAL9004)	1/150
D465L-G	Grey (RAL7040)	1/150

“L” Connector (R)




Model No.	Colour	Package
D465R-W	White (RAL9003)	1/150
D465R-B	Black (RAL9004)	1/150
D465R-G	Grey (RAL7040)	1/150

“T” Connector (L1)




Model No.	Colour	Package
D466L1-W	White (RAL9003)	1/90
D466L1-B	Black (RAL9004)	1/90
D466L1-G	Grey (RAL7040)	1/90

“T” Connector (L2)




Model No.	Colour	Package
D466L2-W	White (RAL9003)	1/90
D466L2-B	Black (RAL9004)	1/90
D466L2-G	Grey (RAL7040)	1/90

“T” Connector (R1)



Model No.	Colour	Package
D466R1-W	White (RAL9003)	1/90
D466R1-B	Black (RAL9004)	1/90
D466R1-G	Grey (RAL7040)	1/90

“T” Connector (R2)




Model No.	Colour	Package
D466R2-W	White (RAL9003)	1/90
D466R2-B	Black (RAL9004)	1/90
D466R2-G	Grey (RAL7040)	1/90


4 Wires 3 Circuits Track System (Regular) / 4线三回路轨道系统 (常规款)

4 Wires 3 Circuits Track System (Regular)


Track System Application




Connection Installation



4 Wires 3 Circuits Track (Regular)




Coextrusion Technology of Flat Copper Wire
扁铜线共挤技术
导电弹片与轨道铜线有更多、更安全的接触面





Model No.	Track Length	Colour	Package
L410-W	1000mm	White (RAL9003)	1 / 12
L410-B	1000mm	Black (RAL9004)	1 / 12
L410-G	1000mm	Grey (RAL7040)	1 / 12
L420-W	2000mm	White (RAL9003)	1 / 12
L420-B	2000mm	Black (RAL9004)	1 / 12
L420-G	2000mm	Grey (RAL7040)	1 / 12
L430-W	3000mm	White (RAL9003)	1 / 8
L430-B	3000mm	Black (RAL9004)	1 / 8
L430-G	3000mm	Grey (RAL7040)	1 / 8
L440-W	4000mm	White (RAL9003)	1 / 6
L440-B	4000mm	Black (RAL9004)	1 / 6
L440-G	4000mm	Grey (RAL7040)	1 / 6

Fixing Point Dimensions





L/mm	a/mm	b/mm	c/mm	d/mm
1000	100			
2000	100	1000		
3000	100		1500	
4000	100		1333	1333

Mechanical Load Diagram




Connecting Diagram / 轨道接线图




4 Wires 3 Circuits Track System (Regular)

Track Power Connector (L)




Model No.	Colour	Package
461L-W	White (RAL9003)	1/150
461L-B	Black (RAL9004)	1/150
461L-G	Grey (RAL7040)	1/150

Track Power Connector (R)




Model No.	Colour	Package
461R-W	White (RAL9003)	1/150
461R-B	Black (RAL9004)	1/150
461R-G	Grey (RAL7040)	1/150

End Cap




Model No.	Colour	Package
462-W	White (RAL9003)	1/500
462-B	Black (RAL9004)	1/500
462-G	Grey (RAL7040)	1/500

Mini Joiner Connector




Model No.	Colour	Package
463-W	White (RAL9003)	1/400
463-B	Black (RAL9004)	1/400
463-G	Grey (RAL7040)	1/400

Straight Connector / 直线接驳器



Model No.	Colour	Package
464-W	White (RAL9003)	1/160
464-B	Black (RAL9004)	1/160
464-G	Grey (RAL7040)	1/160


“+” Cross Connector



Model No.	Colour	Package
467-W	White (RAL9003)	1/60
467-B	Black (RAL9004)	1/60
467-G	Grey (RAL7040)	1/60


4 Wires 3 Circuits Track System (Regular)

“L” Connector (L)




Model No.	Colour	Package
465L-W	White (RAL9003)	1/150
465L-B	Black (RAL9004)	1/150
465L-G	Grey (RAL7040)	1/150

“L” Connector (R)




Model No.	Colour	Package
465R-W	White (RAL9003)	1/150
465R-B	Black (RAL9004)	1/150
465R-G	Grey (RAL7040)	1/150

“T” Connector (L1)




Model No.	Colour	Package
466L1-W	White (RAL9003)	1/90
466L1-B	Black (RAL9004)	1/90
466L1-G	Grey (RAL7040)	1/90

“T” Connector (L2)




Model No.	Colour	Package
466L2-W	White (RAL9003)	1/90
466L2-B	Black (RAL9004)	1/90
466L2-G	Grey (RAL7040)	1/90

“T” Connector (R1)



Model No.	Colour	Package
466R1-W	White (RAL9003)	1/90
466R1-B	Black (RAL9004)	1/90
466R1-G	Grey (RAL7040)	1/90

“T” Connector (R2)




Model No.	Colour	Package
466R2-W	White (RAL9003)	1/90
466R2-B	Black (RAL9004)	1/90
466R2-G	Grey (RAL7040)	1/90

4 Wires 3 Circuits Track System(Regular)


4 Wires 3 Circuits Recessed Track System(Regular)

Celling mount kit




Model No.	Colour	Package
491-W	White (RAL9003)	1/200
491-B	Black (RAL9004)	1/200
491-G	Grey (RAL7040)	1/200

Suspension Mount EZCLK Kit




Model No.	Colour	Package
492-W	White (RAL9003)	1/200
492-B	Black (RAL9004)	1/200
492-G	Grey (RAL7040)	1/200

Suspension Kit




Model No.	Colour	Package
493-W	White (RAL9003)	1/1000
493-B	Black (RAL9004)	1/1000
493-G	Grey (RAL7040)	1/1000

Suspension Clamp




Model No.	Colour	Package
494-W	White (RAL9003)	1/500
494-B	Black (RAL9004)	1/500
494-G	Grey (RAL7040)	1/500

Track Suspension Diagram




4 Wires 3 Circuits Recessed Track(Regular)





Model No.	Track Length	Colour	Package
R410-W	1000mm	White (RAL9003)	1 / 12
R410-B	1000mm	Black (RAL9004)	1 / 12
R410-G	1000mm	Grey (RAL7040)	1 / 12
R420-W	2000mm	White (RAL9003)	1 / 12
R420-B	2000mm	Black (RAL9004)	1 / 12
R420-G	2000mm	Grey (RAL7040)	1 / 12
R430-W	3000mm	White (RAL9003)	1 / 8
R430-B	3000mm	Black (RAL9004)	1 / 8
R430-G	3000mm	Grey (RAL7040)	1 / 8
R440-W	4000mm	White (RAL9003)	1 / 6
R440-B	4000mm	Black (RAL9004)	1 / 6
R440-G	4000mm	Grey (RAL7040)	1 / 6

Fixing Point Dimensions





L/mm	w/mm	b/mm	c/mm	d/mm
1000	100			
2000	100	1000		
3000	100		1500	
4000	100		1333	1333

Mechanical Load Diagram




Connecting Diagram / 轨道接线图



3 Circuits Recessed Track System


4 Wires 3 Circuits Recessed Track System (Regular)

Power Connector Cover




Model No.	Colour	Package
R461-W	White (RAL9003)	1/500
R461-B	Black (RAL9004)	1/500
R461-G	Grey (RAL7040)	1/500

Straight Connector Cover




Model No.	Colour	Package
R464-W	White (RAL9003)	1/500
R464-B	Black (RAL9004)	1/500
R464-G	Grey (RAL7040)	1/500

“L” Connector Cover




Model No.	Colour	Package
R465-W	White (RAL9003)	1/500
R465-B	Black (RAL9004)	1/500
R465-G	Grey (RAL7040)	1/500

“T” Connector Cover



Model No.	Colour	Package
R466-W	White (RAL9003)	1/500
R466-B	Black (RAL9004)	1/500
R466-G	Grey (RAL7040)	1/500


“+” Connector Cover / 十字形接驳器盖板




Model No.	Colour	Package
R467-W	White (RAL9003)	1/500
R467-B	Black (RAL9004)	1/500
R467-G	Grey (RAL7040)	1/500

4 Wires 3 Circuits Track System (Deluxe)

Track System Application





Connection Installation



4 Wires 3 Circuits Track System (Deluxe)


4 Wires 3 Circuits Track System (Deluxe)

4 Wire 3 Circuits Track (Deluxe)



Model No.	Track Length	Colour	Package
L510-W	1000mm	White (RAL9003)	1 / 12
L510-B	1000mm	Black (RAL9004)	1 / 12
L510-G	1000mm	Grey (RAL7040)	1 / 12
L520-W	2000mm	White (RAL9003)	1 / 12
L520-B	2000mm	Black (RAL9004)	1 / 12
L520-G	2000mm	Grey (RAL7040)	1 / 12
L530-W	3000mm	White (RAL9003)	1 / 8
L530-B	3000mm	Black (RAL9004)	1 / 8
L530-G	3000mm	Grey (RAL7040)	1 / 8
L540-W	4000mm	White (RAL9003)	1 / 6
L540-B	4000mm	Black (RAL9004)	1 / 6
L540-G	4000mm	Grey (RAL7040)	1 / 6

Fixing Point Dimensions




L/mm	a/mm	b/mm	c/mm	d/mm
1000	100			
2000	100	1000		
3000	100		1500	
4000	100		1333	1333


Mechanical Load Diagram



Connecting Diagram




Track Power Connector (L)




Model No.	Colour	Package
561L-W	White (RAL9003)	1/150
561L-B	Black (RAL9004)	1/150
561L-G	Grey (RAL7040)	1/150

Track Power Connector (R)




Model No.	Colour	Package
561R-W	White (RAL9003)	1/150
561R-B	Black (RAL9004)	1/150
561R-G	Grey (RAL7040)	1/150

End Cap




Model No.	Colour	Package
562-W	White (RAL9003)	1/500
562-B	Black (RAL9004)	1/500
562-G	Grey (RAL7040)	1/500

Mini Joiner Connector




Model No.	Colour	Package
563-W	White (RAL9003)	1/400
563-B	Black (RAL9004)	1/400
563-G	Grey (RAL7040)	1/400

Straight Connector



Model No.	Colour	Package
564-W	White (RAL9003)	1/160
564-B	Black (RAL9004)	1/160
564-G	Grey (RAL7040)	1/160

“+” Cross Connector




Model No.	Colour	Package
567-W	White (RAL9003)	1/60
567-B	Black (RAL9004)	1/60
567-G	Grey (RAL7040)	1/60

4 Wires 3 Circuits Track System (Deluxe)


4 Wires 3 Circuits Track System (Deluxe)

“L” Connector (L)




Model No.	Colour	Package
565L-W	White (RAL9003)	1/150
565L-B	Black (RAL9004)	1/150
565L-G	Grey (RAL7040)	1/150

“L” Connector (R)




Model No.	Colour	Package
565R-W	White (RAL9003)	1/150
565R-B	Black (RAL9004)	1/150
565R-G	Grey (RAL7040)	1/150

“T” Connector (L1)




Model No.	Colour	Package
566L1-W	White (RAL9003)	1/90
566L1-B	Black (RAL9004)	1/90
566L1-G	Grey (RAL7040)	1/90

“T” Connector (L2)




Model No.	Colour	Package
566L2-W	White (RAL9003)	1/90
566L2-B	Black (RAL9004)	1/90
566L2-G	Grey (RAL7040)	1/90

“T” Connector (R1)




Model No.	Colour	Package
566R1-W	White (RAL9003)	1/90
566R1-B	Black (RAL9004)	1/90
566R1-G	Grey (RAL7040)	1/90

“T” Connector (R2)




Model No.	Colour	Package
566R2-W	White (RAL9003)	1/90
566R2-B	Black (RAL9004)	1/90
566R2-G	Grey (RAL7040)	1/90

Ceiling mount kit




Model No.	Colour	Package
591	AL	1/200

Connecting Plate



Model No.	Colour	Package
592	AL	1/200


Track Suspension Diagram



4 Wires 3 Circuits Recessed Track System (Deluxe)

4 Wires 3 Circuits Recessed Track System (Deluxe)

4 Wires 3 Circuits Recessed Track (Deluxe)




Power Connector Cover




Model No.	Track Length	Colour	Package
R510-W	1000mm	White (RAL9003)	1 / 12
R510-B	1000mm	Black (RAL9004)	1 / 12
R510-G	1000mm	Grey (RAL7040)	1 / 12
R520-W	2000mm	White (RAL9003)	1 / 12
R520-B	2000mm	Black (RAL9004)	1 / 12
R520-G	2000mm	Grey (RAL7040)	1 / 12
R530-W	3000mm	White (RAL9003)	1 / 8
R530-B	3000mm	Black (RAL9004)	1 / 8
R530-G	3000mm	Grey (RAL7040)	1 / 8
R540-W	4000mm	White (RAL9003)	1 / 6
R540-B	4000mm	Black (RAL9004)	1 / 6
R540-G	4000mm	Grey (RAL7040)	1 / 6

Model No.	Colour	Package
R561-W	White (RAL9003)	1/500
R561-B	Black (RAL9004)	1/500
R561-G	Grey (RAL7040)	1/500

Fixing Point Dimensions




Straight Connector Cover



Model No.	Colour	Package
R564-W	White (RAL9003)	1/500
R564-B	Black (RAL9004)	1/500
R564-G	Grey (RAL7040)	1/500

"L" Connector Cover




Model No.	Colour	Package
R565-W	White (RAL9003)	1/500
R565-B	Black (RAL9004)	1/500
R565-G	Grey (RAL7040)	1/500


Mechanical Load Diagram



Connecting Diagram




"T" Connector Cover



Model No.	Colour	Package
R566-W	White (RAL9003)	1/500
R566-B	Black (RAL9004)	1/500
R566-G	Grey (RAL7040)	1/500

"十" Connector Cover / 十字形接驳器盖板




Model No.	Colour	Package
R567-W	White (RAL9003)	1/500
R567-B	Black (RAL9004)	1/500
R567-G	Grey (RAL7040)	1/500

3 Wires Single Phase Track System

3 Wires Single Phase Track System


Track System Application



3 Wires Single Phase Track



Coextrusion Technology of Flat Copper Wire
扁铜线共挤技术
导电弹片与轨道铜线有更多、更安全的接触面




Model No.	Specifications	Track Length	Colour	Package
310A-W	With Power Connector and End Cap/轨道含头尾	1000mm	White (RAL9010)	1 / 20
310A-B	With Power Connector and End Cap/轨道含头尾	1000mm	Black (RAL9004)	1 / 20
320A-W	With Power Connector and End Cap/轨道含头尾	2000mm	White (RAL9010)	1 / 20
320A-B	With Power Connector and End Cap/轨道含头尾	2000mm	Black (RAL9004)	1 / 20
330A-W	With Power Connector and End Cap/轨道含头尾	3000mm	White (RAL9010)	1 / 20
330A-B	With Power Connector and End Cap/轨道含头尾	3000mm	Black (RAL9004)	1 / 20
340A-W	With Power Connector and End Cap/轨道含头尾	4000mm	White (RAL9010)	1 / 20
340A-B	With Power Connector and End Cap/轨道含头尾	4000mm	Black (RAL9004)	1 / 20
310B-W	Only Track / 轨道足米	1000mm	White (RAL9010)	1 / 20
310B-B	Only Track / 轨道足米	1000mm	Black (RAL9004)	1 / 20
320B-W	Only Track / 轨道足米	2000mm	White (RAL9010)	1 / 20
320B-B	Only Track / 轨道足米	2000mm	Black (RAL9004)	1 / 20
330B-W	Only Track / 轨道足米	3000mm	White (RAL9010)	1 / 20
330B-B	Only Track / 轨道足米	3000mm	Black (RAL9004)	1 / 20
340B-W	Only Track / 轨道足米	4000mm	White (RAL9010)	1 / 20
340B-B	Only Track / 轨道足米	4000mm	Black (RAL9004)	1 / 20

Track Fix




Fixing Point Dimensions



L/mm	w/mm	b/mm	c/mm	d/mm
1000	100			
2000	100	1000		
3000	100		1500	
4000	100		1333	1333


Connecting Diagram



1 Phase /120V/230V AC 20 Max


3 Wires Single Phase Track System

Track Power Connector




Model No.	Colour	Package
351-W	White (RAL9003)	1/150
351-B	Black (RAL9004)	1/150
351-G	Grey (RAL7040)	1/150

End Cap




Model No.	Colour	Package
352-W	White (RAL9003)	1/150
352-B	Black (RAL9004)	1/150
352-G	Grey (RAL7040)	1/150

Mini Joiner Connector




Model No.	Colour	Package
353-W	White (RAL9003)	1/400
353-B	Black (RAL9004)	1/400
353-G	Grey (RAL7040)	1/400

Mini Joiner Connector




Model No.	Colour	Package
353A-W	White (RAL9003)	1/400
353A-B	Black (RAL9004)	1/400
353A-G	Grey (RAL7040)	1/400

Straight Connector



Model No.	Colour	Package
354-W	White (RAL9003)	1/160
354-B	Black (RAL9004)	1/160
354-G	Grey (RAL7040)	1/160


"L" Connector



Model No.	Colour	Package
355-W	White (RAL9003)	1/150
355-B	Black (RAL9004)	1/150
355-G	Grey (RAL7040)	1/150


3 Wires Single Phase Track System

"T" Connector



Model No.	Colour	Package
356-W	White (RAL9003)	1/90
356-B	Black (RAL9004)	1/90
356-G	Grey (RAL7040)	1/90

"十" Cross Connector / 十字接驳器



Model No.	Colour	Package
357-W	White (RAL9003)	1/60
357-B	Black (RAL9004)	1/60
357-G	Grey (RAL7040)	1/60

Ceiling mount kit



Model No.	Colour	Package
391	Nickel	1/500

Track Suspension Diagram

